









Fypon Polyurethane Ashley Baluster Specifications



SKU	System	A	B	C	D	E	F	Max Center to Center Distance	Drawing
BAL2X10AY	5"	10"	6"	2"	2"	2 1/4"	1 3/4"	5 7/8"	
BAL2.5X15AY	5"	15"	9"	3"	3"	2 1/2"	1 7/8"	5 27/32"	

BAL3X20AY	5"	20"	15"	$2\frac{1}{2}$ "	$2\frac{1}{2}$ "	$2\frac{1}{2}$ "	$\frac{1}{7/16}$ "	5 $\frac{3}{8}$ "	
BAL3X24AY	5"	24"	15"	$1\frac{1}{2}$ "	$4\frac{1}{2}$ "	$2\frac{1}{2}$ "	$\frac{1}{3/8}$ "	5 $\frac{3}{8}$ "	

BAL3X28AY	5"	28"	19"	4 5/8"	4 5/8"	2 1/2"	1 3/8"	5 11/32"	
BAL3X32AY	5"	32"	23"	4 1/2"	4 1/2"	2 1/2"	1 3/8"	5 11/32"	

BAL3X36AY	5"	36"	24"	6"	6"	$2\frac{1}{2}$ "	$1\frac{1}{4}$ "	$5\frac{3}{16}$ "	
BAL4X24AY	7"	24"	15"	$4\frac{1}{2}$ "	$4\frac{1}{2}$ "	$4\frac{1}{2}$ "	$3\frac{1}{2}$ "	$7\frac{3}{8}$ "	

BAL5X20AY	7"	20"	13"	$3\frac{1}{2}"$	$3\frac{1}{2}"$	$4\frac{1}{2}"$	$3\frac{1}{2}"$	$7\frac{21}{32}"$	
BAL5X24AY	7"	24"	17"	$3\frac{1}{2}"$	$3\frac{1}{2}"$	$4\frac{1}{2}"$	$3\frac{7}{16}"$	$7\frac{3}{8}"$	

BAL5X28AY	7"	28"	19"	4 1/2"	4 1/2"	4 1/2"	3 13/32"	7 11/32"	
BAL5X32AY	7"	32"	22 15/16"	4 1/2"	4 1/2"	4 1/2"	3 3/8"	7 11/32"	

BAL6X24AY	12"	24"	15"	4 1/2"	4 1/2"	5 1/2"	4 7/16 "	8 3/8"	<p>Technical drawing of a door pull handle. The drawing shows a vertical handle with a central oval-shaped grip. Dimensions are indicated as follows: C is the height of the top cylindrical section; B is the total height of the handle; D is the height of the bottom cylindrical section; E is the diameter of the bottom section; and F is the diameter of the central grip section.</p>
-----------	-----	-----	-----	-----------	-----------	-----------	----------------	--------	---