# **Material Safety Data Sheet**



Revision Number: 002.0 Issue date: 12/10/2010

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Loctite Power Grab Molding & IDH number: 1363135 1447059

Paneling Construction Adhesive

Product type: Adhesive

Region: United States

Company address:Contact information:Henkel CorporationTelephone: 800.624.7767

One Henkel Way MEDICAL EMERGENCY Phone: Poison Control Center Rocky Hill, Connecticut 06067 1-877-671-4608 (toll free) or 1-303-592-1711

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

### 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

HMIS:

Physical state:pastyHEALTH:1Color:whiteFLAMMABILITY:0Odor:SlightPHYSICAL HAZARD:0

Personal Protection: See MSDS Section 8

CAUTION: MAY CAUSE EYE AND SKIN IRRITATION.

Relevant routes of exposure: Ingestion, Skin

**Potential Health Effects** 

Inhalation: Not a relevant route of exposure. Contains crystalline silica (quartz), which is classified as a

possible carcinogen. However, the crystalline silica present in this product is encapsulated in the liquid and will only be liberated if the product is sanded or abraded, and even then what is liberated will not be pure crystalline silica. Appropriate precautions, however, should be taken if

the product is sanded or abraded to prevent personnel from breathing the dust.

Skin contact: Prolonged and/or repeated skin contact with this product may cause irritation.

**Eye contact:** May cause irritation.

**Ingestion:** Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Existing conditions aggravated by

IDH number: 1363135 1447059

exposure:

None known

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR

1910.1200).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
Quartz (SiO2)	14808-60-7	0.1 - 1

## 4. FIRST AID MEASURES

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.

**Skin contact:** Wash with soap and water. If symptoms develop and persist, get medical

attention.

Product name: Loctite Power Grab Molding & Paneling Construction Adhesive
Page 1 of 5

**Eye contact:** Flush eyes with plenty of water for at least 5 minutes. If irritation persists seek

medical attention.

**Ingestion:** Do not induce vomiting. Seek medical advice.

### 5. FIRE FIGHTING MEASURES

Not available

**Flash point:** > 93.3 °C (> 199.94 °F) no method

Autoignition temperature: Not available

Flammable/Explosive limits - lower: Not available

Flammable/Explosive limits - upper:

**Extinguishing media:** carbon dioxide, foam, powder, water spray jet, fine water spray

Special firefighting procedures: Not available
Unusual fire or explosion hazards: None known

**Hazardous combustion products:** Oxides of carbon.

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: None known

Clean-up methods: Scrape up as much material as possible. Clean residue with soap and water.

## 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes. Avoid prolonged or repeated skin contact with this

material. Do not taste or swallow. Keep out of the reach of children.

**Storage:** Protect from freezing. Store in a cool, dry area.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Quartz (SiO2)	0.025 mg/m3 TWA Respirable fraction.		None	None

**Engineering controls:** Not normally needed.

IDH number: 1363135 1447059

Respiratory protection: No personal respiratory protective equipment normally required.

 Eye/face protection:
 No special measures required if used properly.

 Skin protection:
 No special measures required if used properly.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:pastyColor:whiteOdor:SlightOdor threshold:Not available

pH: 8 - 9
Vapor pressure: Not available
Boiling point/range: Not available
Melting point/ range: Not available

**Specific gravity:** 1.25 - 1.35 (Water = 1)

Vapor density: 0.62 (Air = 1)

Flash point: > 93.3 °C (> 199.94 °F) no method

Flammable/Explosive limits - lower:

Flammable/Explosive limits - upper:

Autoignition temperature:

Evaporation rate:

Solubility in water:

Partition coefficient (n-octanol/water):

Not available

Not available

Not available

VOC content: < 2.00 %; 17 g/l (calculated)

# 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: Will not occur.

Hazardous decomposition products: None known

**Incompatible materials:** Strong acids and oxidizing agents.

Conditions to avoid: None known

## 11. TOXICOLOGICAL INFORMATION

Acute inhalation product toxicity: Due to the low volatility of the product there are no hazards associated with

inhalation under normal conditions of use

Н	lazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
C	Quartz (SiO2)	Known carcinogen.	Group 1	No

Hazardous components	Health Effects/Target Organs
Quartz (SiO2)	Immune system, Lung, Some evidence of carcinogenicity

# 12. ECOLOGICAL INFORMATION

Ecological information: Not available

IDH number: 1363135 1447059

## 13. DISPOSAL CONSIDERATIONS

### Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

**Hazardous waste number:** It is the responsibility of the user to determine if an item is hazardous as

defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics

Leaching Procedure (TCLP) 40 CFR 261.20-24.

## 14. TRANSPORT INFORMATION

### **U.S. Department of Transportation Ground (49 CFR)**

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
None
Packing group:
None

### International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None

Packing group: None

### Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

## 15. REGULATORY INFORMATION

### **United States Regulatory Information**

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12(b) Export Notification: None above reporting de minimus

CERCLA/SARA Section 302 EHS: None above reporting de minimus

CERCLA/SARA Section 311/312: None

CERCLA/SARA 313: None above reporting de minimus

California Proposition 65: This product contains a chemical known in the State of California to cause cancer.

#### **Canada Regulatory Information**

IDH number: 1363135 1447059

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

# 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: This Material Safety Data Sheet contains changes from the previous version in Section(s): 1, 9, 11

Prepared by: Mary Ellen Roddy, Sr. Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 1363135 1447059