


SOLAR PANEL CARRIER INSTRUCTIONS



REIMANN & GEORGER CORPORATION HOISTING PRODUCTS

BUFFALO, NY 4/5/13

P/N 6-----

INSTALLATION AND SETUP

- 1. Assemble the solar panel carrier as shown in Figures 1A & 1B. Do not tighten all of the hardware. The solar panel carrier can be used on a 200 and 400 pound capacity hoist. If mounting onto a 200 pound carrier, use the inner two holes on the frame tubes (1) and on the adjusting angle (6). If mounting to a 400 pound carrier, use the outer holes on the frame tubes and adjusting angle to mount onto the carriage.
- 2. Mount the carrier onto the carriage as shown in Figure 2. Once the carrier is mounted onto the carriage, tighten all of the hardware.
- 3. When placing a solar panel onto the carrier, the spring clamps (2) can be adjusted accordingly to fit the width of the solar panel. Also, the adjusting angle (6) can be moved in or out depending on how many solar panels are being carried. The carrier can hold up to two solar panels at a time. See Figure 3.




Figure 1A Assembly if Mounting onto 200 lb carriage.




Figure 1B Assembly if Mounting onto 400 lb Carriage.




Figure 2 Mounting Solar Panel Carrier onto to Platform Carriage




Figure 3 Placing Solar Panel onto Carrier

PARTS LIST

0424030 SOLAR PANEL CARRIER COP

REF#	PART#	QTY	DESCRIPTION
1	0445330	2	SOLAR PANEL CARRIER SUPPORT TUBE
2	0445115	2	SOLAR PANEL CARRIER SPRING CLAMP ASSEMBLY
3	0445315	2	SOLAR PANEL CARRIER DEPTH LEG
4	0445212	1	SOLAR PANEL CARRIER FRAME ANGLE – LH
5	0445216	1	SOLAR PANEL CARRIER FRAME ANGLE – RH
6	0445303	1	SOLAR PANEL CARRIER FRAME ADJUSTING ANGLE
7	0445204	2	SOLAR PANEL CARRIER CLAMP FRAME
8	0445208	2	SOLAR PANEL CARRIER SPRING BOLT
9	5804650	2	KNOB MALE 3/8-16 X 1
10	5804459	2	KNOB FEMALE 3/8-16
11	5804496	2	SPRING
	0445110	1	BAG OF BOLTS consists of:
A	5806247	6	HHCS 3/8-16 X 1 CZP
В	5806250	4	HHCS 3/8-16 X 1-3/4 CZP
С	5806377	10	NUT HEX 3/8-16 CZP
D	5800119	10	WASHER SPLIT LOCK 3/8 CZP
Е	5806406	12	WASHER FLAT SAE 3/8 CZP
F	5806280	2	HHCS 1/2-13 X 1 CZP
G	5806400	2	WASHER FLAT SAE 1/2 CZP
Н	5800120	2	WASHER SPLIT LOCK 1/2 CZP
I	5800118	2	NUT HEX 1/2-13 CZP